according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Selfoam Straw Grade PU Foam

Type of product : Adhesives, Sealants

Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

SEL DIŞ TİCARET VE KİMYA A.Ş.

Fevzi Paşa Mahallesi Kınıklı Kavşağı Cad

E-5 Karayolu Üzeri, No:138 Sel Binası

İstanbul - TÜRKİYE

T+90 212 735 34 00 - F+90 212 735 34 66

info@selsil.com.tr - selsil.com

1.4. Emergency telephone number

Emergency number : +90 212 735 34 00 (SEL)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Acute toxicity (inhalation:gas) H332

Category 4

Skin corrosion/irritation, Category H315

2

Serious eye damage/eye irritation, H319

Category 2

Respiratory sensitisation, Category H334

1

Skin sensitisation, Category 1 H317
Carcinogenicity, Category 2 H351
Reproductive toxicity, Additional H362

category, Effects on or via

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



lactation

Specific target organ toxicity — H335

Single exposure, Category 3, Respiratory tract irritation

Specific target organ toxicity — H₃₇₃

Repeated exposure, Category 2

Hazardous to the aquatic H413

environment — Chronic Hazard,

Category 4

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure. Harmful if inhaled. May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause long lasting harmful effects to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



!



GHS02

GHS07 GHS08

Signal word (CLP)

: Danger

Hazardous ingredients

: alkanes, C14-17, chloro; chlorinated paraffins, C14-17, Polymethylene

polyphenyl isocyanate

Hazard statements (CLP)

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

H₃62 - May cause harm to breast-fed children.

H₃₇₃ - May cause damage to organs through prolonged or repeated

exposure.

H413 - May cause long lasting harmful effects to aquatic life.

Version: 3.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



Precautionary statements (CLP)

: P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P₂₆₁ - Avoid breathing dust/fume/gas/mist/vapours/spray. P₂₆₃ - Avoid contact during pregnancy and while nursing.

EUH-statements : EUH204 - Contains isocyanates. May produce an allergic reaction.

Extra phrases : As from 24 August 2023 adequate training is required before industrial or

professional use

Persons already sensitised to diisocyanates may develop allergic reactions

when using this product

Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1

according to standard EN 14387) is used

Labelling according to Directive 67/548/EEC or 1999/45/EC

2.3. Other hazards

Contains PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according
			to Regulation (EC) No.
			1272/2008 [CLP]

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



Polymethylene polyphenyl isocyanate	(CAS-No.) 9016-87-9	> 40 - < 50	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
alkanes, C14-17, chloro; chlorinated paraffins, C14-17 substance listed as REACH Candidate (Medium-chain chlorinated paraffins (MCCP) (UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17)) PBT substance; vPvB substance	(CAS-No.) 85535-85-9 (EC-No.) 287-477-0 (EC Index-No.) 602-095-00-X	≥ 16 - < 22	Lact., H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dimethyl ether substance with a Community workplace exposure limit (Note U)	(CAS-No.) 115-10-6 (EC-No.) 204-065-8 (EC Index-No.) 603-019-00-8	≥ 8 - < 10	Flam. Gas 1A, H220 Press. Gas

Comments

: Polymethylene polyphenyl isocyanate, contains > 0.1% MDI-isomers.

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center

or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a

poison center or a doctor if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation. May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media 5.1.

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Special hazards arising from the substance or mixture 5.2.

Fire hazard : Extremely flammable aerosol.

: Pressurised container: May burst if heated. **Explosion** hazard

Hazardous decomposition products in : Toxic fumes may be released.

case of fire

Advice for firefighters 5.3.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel 6.1.1.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not

breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and

eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For

further information refer to section 8: "Exposure controls/personal

protection".

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up

: Mechanically recover the product. Notify authorities if product enters Methods for cleaning up

sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact during

pregnancy/while nursing. Do not breathe

dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-

ventilated area. Avoid contact with skin and eyes.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

dimethyl ether (115-10-6)		
EU	Local name	Dimethylether
EU	IOEL TWA	1920 mg/m³
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Belgium	OEL TWA	1920 mg/m³
Belgium	OEL TWA [ppm]	1000 ppm
France	VME (OEL TWA)	1920 mg/m³
France	VME (OEL TWA) [ppm]	1000 ppm
Netherlands	TGG-8u (OEL TWA)	950 mg/m³
Netherlands	TGG-8u (OEL TWA) [ppm]	496 ppm
Netherlands	TGG-15min (OEL STEL)	1500 mg/m³
Netherlands	TGG-15min (OEL STEL) [ppm]	783 ppm
United Kingdom	WEL TWA (OEL TWA) [1]	766 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	400 ppm

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



dimethyl ether (115-10	0-6)	
United Kingdom	WEL STEL (OEL STEL)	958 mg/m³
United Kingdom	WEL STEL (OEL STEL) [ppm]	500 ppm
Turkey	Local name	Dimetileter
Turkey	OEL TWA	1920 mg/m³
Turkey	OEL TWA [ppm]	1000 ppm
Turkey	Regulatory reference	12 Ağustos 2013 Tarihli ve 28733 Sayılı Resmî Gazete

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):







Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid under pressure.

Colour : light yellow.

Odour : characteristic.

Odour threshold : No data available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



: No data available рΗ

Relative evaporation rate

(butylacetate=1)

: No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

: No data available Flash point

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

: No data available Relative density

: 20 - 26 kg/m³ Density

Solubility : No data available

Partition coefficient n-octanol/water : No data available

(Log Pow)

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

: Pressurised container: May burst if heated. Explosive properties

Oxidising properties : No data available

Explosive limits : No data available

Other information 9.2.

SECTION 10: Stability and reactivity

Reactivity 10.1.

Extremely flammable aerosol. Pressurised container: May burst if heated.

Chemical stability 10.2.

Stable under normal conditions.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Harmful if inhaled.

ATE CLP (gases)	10835.541 ppmv/4h
-----------------	-------------------

dimethyl ether (115-10-6)	
LC50 Inhalation - Rat [ppm]	164000 ppm (4 h, Rat, Male, Experimental value, Inhalation (gases), 14 day(s))

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : May cause harm to breast-fed children.

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Selfoam Straw Grade PU Foam	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long lasting harmful effects to aquatic life.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Hazardous to the aquatic

environment, short-term (acute)

: Not classified

Hazardous to the aquatic

environment, long-term (chronic)

: May cause long lasting harmful effects to aquatic life.

dimethyl ether (115-10-6)	
LC50 - Fish [1]	> 4100 mg/l (NEN 6504: Water - Determination of toxicity with Poecilia reticulata, 96 h, Poecilia reticulata, Semi-static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 4400 mg/l (NEN 6501: Water - Determination of toxicity with Daphnia magna, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Lethal)
EC50 96h - Algae [1]	154.9 mg/l (ECOSAR v1.00, Algae, QSAR)

12.2. Persistence and degradability

dimethyl ether (115-10-6)	
Persistence and degradability	Non degradable in the soil. Not readily biodegradable in water.

12.3. Bioaccumulative potential

dimethyl ether (115-10-6)	
Partition coefficient n-octanol/water (Log Pow)	o.1 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

dimethyl ether (115-10-6)	
Surface tension No data available in the literature	
Ecology - soil	Not applicable (gas).

12.5. Results of PBT and vPvB assessment

Component	
alkanes, C14-17, chloro; chlorinated paraffins, C14-17 (85535-85-9)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance meets the vPvB criteria of REACH regulation, annex XIII
dimethyl ether (115-10-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's

sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper sh	nipping name AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr		Aerosois, jiairiiriable	AEROJOLJ	AENOSOLS
UN 1950 AEROSOLS, 2.1, II, (D)	UN 1950 AEROSOLS, 2.1, II	UN 1950 Aerosols, flammable, 2.1, II	UN 1950 AEROSOLS, 2.1, II	UN 1950 AEROSOLS, 2.1, II
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
II	II	11	II	II
14.5. Environmenta	l hazards	ı	ı	1
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment: No	Dangerous for the environment : No	Dangerous for the environment: No
No supplementary info	ormation available	ı	L	1

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Excepted quantities (ADR) : E0
Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9
Transport category (ADR) : 2
Special provisions for carriage - : V14

Packages (ADR)

Special provisions for carriage - : CV9, CV12

Loading, unloading and handling

(ADR)

Special provisions for carriage - : S2

Operation (ADR)

Tunnel restriction code (ADR) : D

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D

EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

Stowage and handling (IMDG) : SW1, SW22

Segregation (IMDG) : SG69

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity : 30kgG

(IATA)

PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : Eo

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

- Rail transport

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : Eo

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage - : W14

Packages (RID)

Special provisions for carriage - : CW9, CW12

Loading, unloading and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list: Medium-chain chlorinated paraffins (MCCP) (UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17) (EC 287-477-0, CAS 85535-85-9)

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Regulatory reference : WGK 2, Significantly hazardous to water (Classification according to AwSV,

Annex 1)

Hazardous Incident Ordinance (12. Is r

BImSchV)

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU)



Netherlands

SZW-lijst van kankerverwekkende

: alkanes, C14-17, chloro; chlorinated paraffins, C14-17 is listed

stoffen

SZW-lijst van mutagene stoffen

: alkanes, C14-17, chloro; chlorinated paraffins, C14-17 is listed

SZW-lijst van reprotoxische stoffen – : alkanes, C14-17, chloro; chlorinated paraffins, C14-17 is listed

Borstvoeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Ontwikkeling

Denmark

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material

The requirements from the Danish Working Environment Authorities regarding work with epoxy resins and isocyanates must be observed during use and disposal

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties
•	•

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Classification according to Regulation (EC) No. 1272/2008 [CLP].

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
---------------------------	-------------------------------------

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4	
Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Carc. 2	Carcinogenicity, Category 2	
EUH204	Contains isocyanates. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H362	May cause harm to breast-fed children.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation	
Press. Gas	Gases under pressure	
Resp. Sens. 1	Respiratory sensitisation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

Issue date: 11/16/2018 Version: 3.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Disclaimer: This Certificate provides restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents.

SDS EU (Sel)

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, but its SDS information may not be applicable